

## 64540 650W 230V GX6,35 FS1



Product description: 64540 650W 230V GX6,35 FS1

Product code: 4008321098818

Quantity: Folding carton box (FS) contains 1 Piece (PCE)

You can find this product in the eCatalog: http://catalog.myosram.com?~language=EN&~country=COM&it\_p=4008321098818

Applications	
Burning position	any
Categorizations	
ANSI code	BVM
LIF	P1/13
NAED	58827
General Description	
Base (standard designation)	GX6.35
Logistical Data	
Product weight	9.150 g
Technical - Electrical Data	
Construction wattage	650 W
Construction voltage	230 V
Nominal wattage	650 W
Nominal voltage	230 V
Technical - Geometries	
Diameter	24unece.unit.MMT
Filament length	14.00 mm
Light centre length (LCL)	30 mm
Illuminated field	14.0*15.0 mm²

Length	57.50 mm
Filament diameter	15.0 mm
Technical - Lifespan	
Lifespan	15 h

Technical - Light Technical Data		
Luminous flux	20000 lm	
Color temperature	3400 K	

Packaging units					
Product code	Packaging type and content	Dimensions in h x w x l	Gross weight	Volume	
4008321098818	Folding carton box contains 1 Piece	42,000 mm x 42,000 mm x 111,000 mm	21,667 g (0,000 g)	0,196 Cubic dec.	
4008321098825	Shipping carton box contains 12 Piece	140,000 mm x 127,000 mm x 180,000 mm	324,333 g (0,000 g)	3,200 Cubic dec.	

From their designs, halogen mains voltage lamps can be categorized as single-ended and double-ended lamps. Depending on the application, they are designed to operate on 230 V, 240 V or 120 V. The color temperature of the lamps varies according to the application: 3,400 K for maximum luminous efficacy, 3,200 K for professional film and TV work, 3,000 K or 2,900 K for applications where long life is important.

